

Impacket Exec Commands Cheat Sheet



ATEXEC.PY

```
atexec.py domain/username:password@[hostname | IP] command
```

- Requires a command to execute; shell not available
- Creates and subsequently deletes a **Scheduled Task** with a random 8-character mixed-case alpha string
- Runs `cmd.exe` with arguments of `"/C"` followed by the command specified by the user, followed by `"C:\Windows\Temp\xxxxxxxx.tmp 2>&1"`
 - Where `"xxxxxxxx"` is the SAME random 8-character mixed-case alpha string used for the Scheduled Task name
- Subsequently deletes the `.tmp` file containing command output from `C:\Windows\Temp`
- NOT detected and blocked by Windows Defender by default

Windows Event Log Residue:

- **Two rounds of:**
 - Event ID 4776 in Security on target (for user specified in command)
 - Event ID 4672 in Security on target (for user specified in command)
 - Event ID 4624 Type 3 in Security on target (for user specified in command)
- [IF ENABLED] Event ID 4698 in Security on target
- Event ID 106, 325, 129, 100, 200, 110, 141, 111, 201, 102 in Microsoft-Windows-TaskScheduler/Operational on target
- [IF ENABLED] Event ID 4688 in Security on target:
 - `svchost.exe` → `cmd.exe /C command > C:\Windows\Temp\xxxxxxxx.tmp 2>&1`
- [IF ENABLED] Event ID 4688 in Security on target:
 - `cmd.exe` → `conhost.exe 0xffffffff -ForceV1`
- [IF ENABLED] Event ID 4699 in Security on target
- [IF ENABLED AND EXTERNAL BINARY IS CALLED] Event ID 4688 in Security on target:
 - `cmd.exe` → `xxx.exe` (the command specified via `atexec.py`)
- **Two rounds of:**
 - Event ID 4634 Type 3 in Security on target (for user specified in command)
- [IF EXTERNAL BINARY IS CALLED, 201/102 MAY APPEAR LATER] Event ID 201, 102 in Microsoft-Windows-TaskScheduler/Operational on target



Impacket Exec Commands Cheat Sheet



DCOMEXEC.PY

```
dcomexec.py -object [ShellWindows | ShellBrowserWindow | MMC20]  
domain/username:password@[hostname | IP] command
```

- Can specify a command to run, or leave blank for shell
- Executes a semi-interactive shell using DCOM objects
- Must specify 'ShellWindows', 'ShellBrowserWindow', 'MMC20' via the `-object` parameter
- Uses first 5 digits of **UNIX Epoch Time** in commands
- NOT detected and blocked by Windows Defender by default

Windows Event Log Residue:

- **Two rounds of:**
 - Event ID 4776 in Security on target (for user specified in command)
 - Event ID 4672 in Security on target (for user specified in command)
 - Event ID 4624 Type 3 in Security on target (for user specified in command)
- [IF ENABLED] Event ID 4688 in Security on target:
 - `svchost.exe → mmc.exe -Embedding`
- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- **Always present:**
 - [IF ENABLED] Event ID 4688 in Security on target:
`mmc.exe → cmd.exe /Q /c cd \ 1> \\127.0.0.1\ADMIN$__sssss 2>&1`
(where "s" is the first 5 digits of the **UNIX Epoch Time** at which the command ran)
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → conhost.exe 0xffffffff -ForceV1`
 - [IF ENABLED] Event ID 4688 in Security on target:
`mmc.exe → cmd.exe /Q /c cd 1> \\127.0.0.1\ADMIN$__sssss 2>&1`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → conhost.exe 0xffffffff -ForceV1`
- **User specified commands:**
 - [IF ENABLED] Event ID 4688 in Security on target:
`mmc.exe → cmd.exe /Q /c command 1> \\127.0.0.1\ADMIN$__sssss 2>&1`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → conhost.exe 0xffffffff -ForceV1`
- **Two rounds of:**
 - Event ID 4634 Type 3 in Security on target (for user specified in command)



Impacket Exec Commands Cheat Sheet



PSEXEC.PY

`psexec.py domain/username:password@[hostname | IP] command`

- Can specify a command to run, or leave blank for shell
- PSEXEC like functionality example using RemComSvc
- Creates and subsequently deletes a **Windows Service** with a random 4-character mixed-case alpha name referencing an 8-character mixed-case alpha .exe file in `%systemroot%`
- Detected and blocked by Windows Defender by default

Windows Event Log Residue:

- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- Event ID 7045 in System on target (service installation: 4-character mixed-case alpha name referencing an 8-character mixed-case alpha .exe file):
 - `%systemroot%\xxxxxxx.exe`
- Event ID 7036 in System on target
- Event ID 7036 in System on target
- [IF ENABLED] Event ID 4688 in Security on target:
 - `services.exe → C:\Windows\xxxxxxx.exe`
- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- [IF ENABLED] Event ID 4688 in Security on target:
 - `C:\Windows\xxxxxxx.exe → command`
- [IF ENABLED] Event ID 4688 in Security on target:
 - `cmd.exe → conhost.exe 0xffffffff -ForceV1`
- ... numerous other 4624,4634,4672 events



Impacket Exec Commands Cheat Sheet



SMBEXEC.PY

```
smbexec.py domain/username:password@[hostname | IP]
```

- No option to specify a command to run; you only get shell
- Creates and subsequently deletes a **Windows Service** named "BTOBTO" referencing `execute.bat` for EVERY command entered into the shell
- Detected and blocked by Windows Defender by default

Windows Event Log Residue:

- Event ID 4776 in Security on target (for user specified in command)
- Event ID 4672 in Security on target (for user specified in command)
- Event ID 4624 Type 3 in Security on target (for user specified in command)
- Event ID 7045 in System on target (service installation: "BTOBTO" is the default name, but can be changed when running `smbexec.py`):
 - `%COMSPEC% /Q /c echo cd ^> \\127.0.0.1\C$__output 2^>^&1 > %TEMP%\execute.bat & %COMSPEC% /Q /c %TEMP%\execute.bat & del %TEMP%\execute.bat`
- **Always present:**
 - [IF ENABLED] Event ID 4688 in Security on target:
`services.exe → cmd.exe /Q /c echo cd ^> \\127.0.0.1\C$__output 2^>^&1 > C:\Windows\TEMP\execute.bat & C:\Windows\system32\cmd.exe /Q /c C:\Windows\TEMP\execute.bat & del C:\Windows\TEMP\execute.bat`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → cmd.exe /Q /c C:\Windows\TEMP\execute.bat`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → conhost.exe 0xffffffff -ForceV1`
- **Present if commands are issued in lieu of an interactive shell:**
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe /Q /c echo command ^> \\127.0.0.1\C$__output 2^>^&1 > C:\Windows\TEMP\execute.bat & C:\Windows\system32\cmd.exe /Q /c C:\Windows\TEMP\execute.bat & del C:\Windows\TEMP\execute.bat`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → cmd.exe /Q /c C:\Windows\TEMP\execute.bat`
 - [IF ENABLED] Event ID 4688 in Security on target:
`cmd.exe → conhost.exe 0xffffffff -ForceV1)`
- **If interactive shell is used, when shell exits:**
 - Event ID 4634 Type 3 in Security on target (for user specified in command)



Impacket Exec Commands Cheat Sheet



WMIEXEC.PY

```
wmiexec.py domain/username:password@[hostname | IP] command
```

- Can specify a command to run, or leave blank for shell
- Executes a semi-interactive shell using Windows Management Instrumentation
- Uses **UNIX Epoch Time** in commands
- NOT detected and blocked by Windows Defender by default

Windows Event Log Residue:

- **Multiple rounds of:**
 - Event ID 4776 in Security on target (for user specified in command)
 - Event ID 4672 in Security on target (for user specified in command)
 - Event ID 4624 Type 3 in Security on target (for user specified in command)
- **Always present:**
 - [IF ENABLED] Event ID 4688 in Security on target:
wmiprvse.exe → cmd.exe /Q /c **cd \ 1>**
\\127.0.0.1\ADMIN\$__ssssssssss.sssssss 2>&1
(where “s” is the **UNIX Epoch Time** at which the command ran)
 - [IF ENABLED] Event ID 4688 in Security on target:
cmd.exe → conhost.exe 0xffffffff -ForceV1
- [IF ENABLED] Event ID 4688 in Security on target:
 - wmiprvse.exe → cmd.exe /Q /c **cd 1>**
\\127.0.0.1\ADMIN\$__ssssssssss.sssssss 2>&1
- [IF ENABLED] Event ID 4688 in Security on target:
 - cmd.exe → conhost.exe 0xffffffff -ForceV1
- [IF ENABLED] Event ID 4688 in Security on target:
 - wmiprvse.exe → cmd.exe /Q /c **command 1>** \\127.0.0.1\ADMIN\$__ssssssssss.sssssss 2>&1)
- [IF ENABLED] Event ID 4688 in Security on target:
 - cmd.exe → conhost.exe 0xffffffff -ForceV1
- Event ID 4634 Type 3 in Security on target (for user specified in command)
- [MAY BE PRESENT] Event ID 5857/5858 in Microsoft-Windows-WMI-Activity\Operational on target

